á
E9 NAGAW

Receipt
Reciept
Cash Co

725831669541

09-07-2018 15:09:40
Cash Counter BESCOM - E9 SDO Online
Cash Counter
Payor Account ID 7258316141
Person Name AEE BBMP
RR Number á
Total Payment Rs8,610.00
Mode of pay Cash
Purpose Deposits
Non Revenue category2MMD-FEE

Eight Thousand Six HundredTen Rupe
y

---------- THANK YOU ----------

á
E9 NAGAWARA

Receipt Number 725831656577
Reciept Date 04-07-2018 16:36:11
Cash Counter BESCOM - E9 SDO Online
Cash Counter
Payor Account ID 7258316141
Person Name AEE BBMP
RR Number á
Total Payment

Rs9.00
Mode of pay Cash
Purpose Non Revenue
Non Revenue categorySGST-FEE

Nine Rupees Only

ಸಹಾಯಕ ಕಾರ್ಯನಿರ್ವಾಹಕ ಅಭಿಯಂತರರು
ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬೆಂಗಳೂರು-24

---------- THANK YOU ----------

á
E9 NAGAWARA

Receipt Number 725831614962
Reciept Date 04-07-2018 16:36:11
Cash Counter BESCOM - E9 SDO Online
Cash Counter
Payor Account ID 7258316141
Person Name AEE BBMP
RR Number á
Total Payment Rs180.00
Mode of pay

E9 NAGAWARA

Receipt Number 0471194787320
Reciept Date 09-07-2018 15:07:40
Cash Counter BESCOM - E9 SDO Online
Cash Counter
Payor Account ID 0471194866
Person Name AEE BBMP
RR Number
Total Payment Rs8,610.00
Mode of pay Cash
Purpose Deposits
Non Revenue categoryZMMD-FEE

Eight Thousand Six HundredTen Rupees Only

THANK YOU
E9 NAGAWARA

Receipt Number 0471194857790
Reciept Date 04-07-2018 16:36:11
Cash Counter BESCOM - E9 SDO Online
Cash Counter
Payor Account ID 0471194866
Person Name AEE BBMP
RR Number
Total Payment Rs9.00
Mode of pay Cash
Purpose Non Revenue
Non Revenue categoryCOST-FEE

Nine Rupees Only

THANK YOU
E9 NAGAWARA

Receipt Number 0471194208985

04-07-2018 16:34:11
Cash Counter BESCOM - E9 SDO Online
Cash Counter
Payor Account ID 0471194866
Person Name AEE BBMP
RR Number
Total Payment Rs100.00

á ---------- THANK YOU ----------
á
E9 NAGAWARA

Receipt Number 830581915010
Reciept Date 09-07-2018 15:09:40
Cash Counter

BESCOM - E9 SDO Online C
ash Counter
Payor Account ID 8305819241
Person Name AEE BBMP
RR Number á
Total Payment Rs8,410.00
Mode of pay Cash
Purpose Deposite
Non Revenue category2MMD-FEE

Eight Thousand Six HundredTen Rupees Onl
y

---------- THANK YOU ----------
á

Payor Account ID [illegible]
Person Name AEE BBMP
RR Number á
Total Payment Rs9.00
Mode of pay Cash
Purpose Non Revenue
Non Revenue category

CGST-FEE

Nine Rupees Only

---------- THANK YOU ----------
á
E9 NAGAWARA

Receipt Number 830581939570
Reciept Date 04-07-2018 16:36:11
Cash Counter BESCOM - E9 SDO Online
Cash Counter
Payor Account ID 8305819241
Person Name AEE BBMP
RR Number á
Total Payment Rs100.00
Mode of pay Cash
Purpose Non Revenue

á
E9 NAGA

Receipt Number 668807501965
Reciept Date 09-07-2018 15:09:40
Cash Counter BESCOM - E9 SDO Online
Cash Counter
Payor Account ID 6688075381
Person Name AEE BBMP
RR Number á
Total Payment Rs8,010.00
Mode of pay Cash
Purpose Deposits
Non Revenue category2MMD-FEE

Eight Thousand Six Hundredten Rupees Onl
y

---------- THANK YOU ----------

á
E9 NAGAWARA

Receipt Number 668807566971
Reciept Date 04-07-2018 16:36:11
Cash Counter BESCOM - E9 SDO Online
Cash Counter
Payor Account ID

6688075381
Person Name AEE BBMP
RR Number á
Total Payment Rs9.00
Mode of pay Cash
Purpose Non Revenue
Non Revenue category5GST-FEE

Nine Rupees Only

ಬಿಲ್

---------- THANK YOU ----------

ಪಡಾವಣೆ ಕಛೇರಿ ಉಪಯೋಗಕ್ಕಾಗಿ ಅಧಿಕಾರಿಗಳು
ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ಬೆಂಗಳೂರು-24

á
E9 NAGAWARA

Receipt Number 668807506847
Reciept Date 04-07-2018 16:36:11
Cash Counter BESCOM - E9 SDO Online
Cash Counter
Payor Account ID 6688075381
Person Name

AEE BBMP
RR Number á
Total Payment Rs100.00

BANGALORE

ಅಂದಾಜನ್ನು ಒಳಗೊಂಡ ಸಮಾಪನ ವರದಿ ಶ್ರೀ (ಹೆಸರು ಮತ್ತು ವಿಳಾಸ) Asst BBMP Engg

ಅರ್ಜಿ ಸಂಖ್ಯೆ 76 ಅಂದಾಜು ಸಂಖ್ಯೆ AE/EE/NW-1

ಪ್ರಮಾಣ 10Hp X1N/on ದಿನಾಂಕ 06/07/2018

ಕ್ರಮ ಸಂಖ್ಯೆ	ವಿವರ	ಸಾಮಗ್ರಿ ಸಂಕೇತ ಸಂಖ್ಯೆ	ದರ	ಅಂದಾಜು ಮಾಡಿದಂತೆ ಪರಿಮಾಣ	ನಿರೀಕ್ಷಿಸಿದಂತೆ ಮೊಬಲಗು ಪರಿಮಾಣ, ಸರಕುಪಟ್ಟಿ ಸಂ. ಮತ್ತು ದಿನಾಂಕ
೧.	ಮಾಪಕ ಸಿಂ. ಫೇಸ್ ..... ಆಂಪ್ಸ್				
	ಮಾಪಕ 3 ಫೇಸ್ 3x5/30A ಆಂಪ್ಸ್ 17.50		X 1N/on	=	17.50
೨.	ಓವರ್‌ಹೆಡ್ ಮಾರ್ಗದಿಂದ ಪೋಲ್ ಫ್ಯೂಸ್ ಬೋರ್ಡಿನವರೆಗೆ ಸಂಪರ್ಕಕ್ಕಾಗಿ ಏರಿಯಲ್ ಫ್ಯೂಸ್ ಬೋರ್ಡು ಕಟ್‌ಔಟ್ ಒಟ್ಟಾರೆಯಾಗಿ		C/P	=	150/-
೩.	ಇತರೆ, ಇನ್ನೇನಾದರೂ ಇದ್ದರೆ (ವಿವರ ಒದಗಿಸಿರಿ)		NEW SERVICE		
೪.	ಮರುಪಾವತಿ ಮಾಡಬೇಕಾದ ಸಂಪರ್ಕ ಮಾರ್ಗದ ಮಂಡಳಿಯ ಪಾಲಿನ ಮೊಬಲಗು		ಇಲ್ಲ ಸಿಂ. ಫೇಸ್ ರೂ. 400/750 3 ಫೇಸ್ ರೂ. 500/1,000		
೫.	ಬಾಕಿ ಇನ್ನೇನಾದರೂ ಇದ್ದರೆ				
೬.	ಒಟ್ಟು ಮೊತ್ತ	M/ RR No = 9EE11	16308	Rs	= 1900/-

ಸಂಪರ್ಕ ವಿಧಾನ — ಪರಾ

(ಅ)	ಹಾಲಿ ಇರುವ ಸೇವಾ ಮಾರ್ಗ	☐	.....
(ಆ)	ಉದ್ದೇಶಿತ ಸಂಪರ್ಕ ಮಾರ್ಗ	☑	.....
(ಇ)	ಓವರ್ ಹೆಡ್ ಸಿಂ. ಫೇಸ್/3 ಫೇಸ್	☐	..... Field Report enclosed
(ಈ)	ಭೂಗತ ಕೇಬಲ್ ಸಿಂ. ಫೇಸ್/3 ಫೇಸ್	☑	.....
(ಉ)	ರಸ್ತೆ/ಪಾದಾಚಾರಿ ರಸ್ತೆ ಅಗೆಯುವ ಅಗತ್ಯ ಇದೆಯೇ	☐	.....
	ಅಥವಾ ಇಲ್ಲವೇ ಸಂಬಂಧಿಸಿದ ಚೌಕದಲ್ಲಿ ಗುರುತು ಮಾಡಿರಿ		.....

ದೃಢೀಕರಣ : (ಅಂದಾಜನ್ನು ಸಿದ್ಧಪಡಿಸುವ ಅಧಿಕಾರಿಯು ನೀಡತಕ್ಕದ್ದು)

೧. ಆವರಣವನ್ನು ಪರೀಕ್ಷಿಸಿದ ನಂತರ ನಾನು ಅಂದಾಜನ್ನು ಸಿದ್ಧ ಪಡಿಸಿದ್ದೇನೆ. ಮತ್ತು ಮಾಪಕ ಹಲಗೆಯ ಸ್ಥಾನವನ್ನು ನಿಗದಿಪಡಿಸಿ ಅದನ್ನು ಬಳಕೆದಾರರಿಗೆ/ಅವರ ಪ್ರತಿನಿಧಿಗಳಿಗೆ ತೋರಿಸಿದ್ದೇನೆ.

೨. ..... ಸಿಂ.ಫೇಸ್/3 ಫೇಸ್ ಗಾತ್ರದ ಓವರ್ ಹೆಡ್/ಭೂಗತ ಸೇವಾ ಮಾರ್ಗವನ್ನು ಹಾಕಬೇಕಾಗಿದೆ. ಹಾಲಿ ಇರುವ ..... ಕೆ.ಡಬ್ಲ್ಯೂ ಒತ್ತಡದಲ್ಲಿಯೇ ಸಿಂ.ಫೇಸ್/3 ಫೇಸ್‌ನ ..... ಗಾತ್ರದ ಓ.ಹೆಡ್/ಭೂಗತ ಕೇಬಲ್ಸ್ ಸೇವಾಮಾರ್ಗದಲ್ಲಿಯೇ ಹೆಚ್ಚುವರಿ ..... ಕೆ.ಡಬ್ಲ್ಯೂ ವಿದ್ಯುತ್ತನ್ನು ಹಾಯಿಸಲು ಸಾಧ್ಯವಾಗುತ್ತದೆ.

ಶಾಖಾಧಿಕಾರಿ (ಕಛೇರಿ ಮೊಹರ್)

ASSISTANT ENGINEER (Ele.)
Nagawara 1 O & M Unit
BESCOM, E-9, Bangalore.

೩. ..... ವಿ.ಸ.ಕಂ.ನಿ. ನಿರ್ದೇಶನಗಳಿಗೆ ಅನುಗುಣವಾಗಿ ಐ.ಎಸ್.ಐ. ಗುರುತನ್ನುಳ್ಳ ..... ಗಾತ್ರದ ಸಿಂ.ಫೇಸ್/3 ಫೇಸ್ ಓವರ್‌ಹೆಡ್/ಭೂಗತ ಸೇವಾ ಕೇಬಲ್‌ಮಾರ್ಗಗಳನ್ನು ಒಳಗೊಂಡಂತೆ ಮಾಪಕ ಹಲಗೆಯ ಜೋಡಣೆ ಮತ್ತು ಸೀಲಬಲ್ ಕಟ್‌ಔಟ್‌ಗಳನ್ನು ಹಾಕಿಸಲು ಮತ್ತು ವಿದ್ಯುತ್ ಸಂಪರ್ಕ ಪಡೆದ ಒಂದು ವರ್ಷದ ಅವಧಿಯೊಳಗೆ ಉಂಟಾಗಬಹುದಾದ ದೋಷಯುಕ್ತ ಸೇವಾಮಾರ್ಗ/ಸಾಮಗ್ರಿಗಳನ್ನು ಗುತ್ತಿಗೆದಾರರ ಮುಖಾಂತರ ನನ್ನ ಸ್ವಂತ ಖರ್ಚಿನಲ್ಲಿ ಸರಿಪಡಿಸಲು/ಬದಲಾಯಿಸಲು ಒಪ್ಪಿದ್ದೇನೆ.

೪. ಮೇಲಿನ 4ನೇ ಕ್ರಮಾಂಕದಲ್ಲಿ ವಿವರಿಸಿರುವಂತೆ ನನಗೆ ಮರುಪಾವತಿ ಮಾಡಬೇಕಾದ ಮೊಬಲಗನ್ನು ಈ ಸ್ಥಾವರಕ್ಕೆ ಸಂಬಂಧಿಸಿದ ಲೆಕ್ಕಕ್ಕೆ ಹೊಂದಾಣಿಕೆ ಮಾಡಬೇಕಾಗಿ ವಿನಂತಿಸುತ್ತೇನೆ.

2018
Assistant Executive Engineer
Byatarayanapura Sub Division
B.B.M.P Bangalore 560024

ಸ್ಥಾಯಿ ಬಳಕೆದಾರರ ಸಹಿ

ಿದ್ಯುತ್ ಸರಬರಾಜು ಕಂಪನಿ ನಿಯಮಿತ

2nd Cross Bangalore-

..... ಅವರ ಓವರ್ ಹೆಡ್/ಭೂಗತ ಸೇವಾ ಸಂಪರ್ಕಗಳ ಬಿಲ್ ನಮೂನೆ

ತಾಂತ್ರಿಕ ವಿಭಾಗ

(ಕಛೇರಿಯ ಉಪಯೋಗಕ್ಕೆ ಮಾತ್ರ)

ಭದ್ರತಾ ಠೇವಣಿ ರೂ. 2mmd 8610 ರಶೀದಿ ಸಂಖ್ಯೆ 68541 ದಿನಾಂಕ 9/7/18

ಮೇಲ್ವಿಚಾರಣಾ ಶುಲ್ಕ ರೂ. ..... ರಶೀದಿ ಸಂಖ್ಯೆ ..... ದಿನಾಂಕ .....

ಮಾಪಕ ಭದ್ರತಾ ಠೇವಣಿ ರೂ. ..... ರಶೀದಿ ಸಂಖ್ಯೆ ..... ದಿನಾಂಕ .....

ಮಂಜೂರಾಗಿರುವುದು ರೂ. (ಅ) ..... (ವಿತರಣಾ ಮಾರ್ಗ) + ರೂ. (ಆ) .....

ಒಟ್ಟು ರೂ. One Thousand Nine hundred only

ಕಾರ್ಯಾದೇಶ ಸಂಖ್ಯೆ NWL(E9/SND/18-19/14-600/F 65921 ದಿನಾಂಕ 13/7/18

ಬಡ್ಜೆಟ್ "14,400-ಸಿ.ಡಬ್ಲ್ಯೂ.ಐ.ಪಿ.-ಸೇವಾ ಸಂಪರ್ಕಗಳು"

ಾಯಕ ಇಂಜಿನಿಯರು (ತಾಂತ್ರಿಕ)

ಾಂಕ .....

ಸಹಾಯಕ ಕಾರ್ಯ ನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರು (ವಿ.)

ದಿನಾಂಕ .....

ಸಹಾಯಕ ಇಂಜಿನಿಯರ್ (ತಾಂತ್ರಿಕ)
ಬೆಸ್ಕಾಂ, ಪೂರ್ವ 9ನೇ ನಾಗವಾರ ಉಪವಿಭಾಗ
ಎಚ್.ಬಿ.ಆರ್. ಬಡಾವಣೆ, ಮೊದಲನೇ ಹಂತ
5ನೇ ಬ್ಲಾಕ್, ಹೊರ ವರ್ತುಲ ರಸ್ತೆ, ನಾಗವಾರ
ಎ. ಸಿ. ಲೇಔಟ್, ಬೆಂಗಳೂರು-560043

ಸಹಾಯಕ ಕಾರ್ಯ ನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರ್ (ವಿ)
ಪೂರ್ವ 9ನೇ ನಾಗವಾರ, ಉಪ-ವಿಭಾಗ, ಬೆ.ವಿ.ಕಂ.
ಹೆಚ್.ಬಿ.ಆರ್. ಬಡಾವಣೆ, ನಾಗವಾರ, ಬೆಂಗಳೂರು-45

ನಿರ್ವಹಣೆ ಮತ್ತು ಪಾಲನೆ ಪಟಕ

ರ್ಕ ದಿನಾಂಕ .....

ವುದು/ಹೊಸದು

ರ್ಕ ವಿಧಾನ : ಓವರ್ ಹೆಡ್/ಭೂಗತ-ಸಿಂಗಲ್ ಫೇಸ್/3 ಫೇಸ್

ಆರ್. ಆರ್. ಸಂಖ್ಯೆ .....

ಾ ಉದ್ದ .....

ರೂ. ..... (ಅ)

ಮೋದಿನ ನಮೂದಿಗೆ ಅನುಗುಣವಾಗಿ ಸಂಪರ್ಕ ಮಾರ್ಗ ಹಾಕಲಾಗಿದೆ.

ಶಾಖಾಧಿಕಾರಿ

ರೆವಿನ್ಯೂ ಶಾಖೆಯ ಉಪಯೋಗಕ್ಕೆ

ಾತೆ ಪುಸ್ತಕದಲ್ಲಿ ಖಾತೆ ಆರಂಭಿಸಿದ ದಿನಾಂಕ .....

ಾತೆ ಪುಸ್ತಕ ಪುಟ ಸಂಖ್ಯೆ .....

ೊದಲನೆ ಬಿಲ್ಲನ್ನು ಕಳುಹಿಸಿದ್ದು .....

ೊಬಲಗು ರೂ. .....

ಾರ್ಗ ಕನಿಷ್ಠ ಶುಲ್ಕ ರೂ. .....

ವಿಭಾಗ ಕಛೇರಿಯ ಉಪಯೋಗಕ್ಕೆ

೧. ಆಸ್ತಿಯ ಮೌಲ್ಯ ರೂ. .....
(ಕಂಪನಿಗೆ ಖರ್ಚು ಹಾಕಬಹುದಾದದ್ದು) ..... (ಅ)
ಮತ್ತು ರೂ. .....
(ಬಳಕೆದಾರರಿಗೆ ಖರ್ಚು ಹಾಕಬಹುದಾದದ್ದು) ..... (ಆ)

ಒಟ್ಟು ರೂ. ..... (ಅ+ಆ)ಗಳನ್ನು ವರ್ಗೀಕರಿಸಲಾಗಿದೆ

೨. ಶ್ರೀ/ಶ್ರೀಮತಿ .....
ಅವರ ಹೆಸರಿಗೆ ರೂ. ..... ಹೊಂದಾಣಿಕೆ ಮಾಡಲಾಗಿದ್ದು ವಿಭಾಗೀಯ ಲೆಕ್ಕದಲ್ಲಿ ಸೇರಿಸಲಾಗಿದೆ.

ಕಿರಿಯ ಸಹಾಯಕ/ಸಹಾಯಕ

ತಾಳೆ ನೋಡಿದೆ

ಹಿರಿಯ ಸಹಾಯಕ/ಸಹಾಯಕ ಲೆಕ್ಕಾಧಿಕಾರಿ

ಸಹಾಯಕ/ಹಿರಿಯ ಸಹಾಯಕ

ತಾಳೆ ನೋಡಿದೆ

ಸಹಾಯಕ ಲೆಕ್ಕಾಧಿಕಾರಿ

Bangalore

ಅಂದಾಜನ್ನು ಒಳಗೊಂಡ ಸಮಾಪನ ವರದಿ ಶ್ರೀ (ಹೆಸರು ಮತ್ತು ವಿಳಾಸ) AEE BBMP RR H

ಅರ್ಜಿ ಸಂಖ್ಯೆ 476 ಅಂದಾಜು ಸಂಖ್ಯೆ AE/E9/1110-1

ಪ್ರಮಾಣ 10HP X1N/OD ದಿನಾಂಕ 06/07/2018

ಕ್ರಮ ಸಂಖ್ಯೆ	ವಿವರ	ಸಾಮಗ್ರಿ ಸಂಕೇತ ಸಂಖ್ಯೆ	ದರ	ಅಂದಾಜು ಮಾಡಿದಂತೆ ಪರಿಮಾಣ	ನಿರೀಕ್ಷಿಸಿದಂತೆ ಮೊಬಲಗು ಪರಿಮಾಣ, ಸರಕುಪಟ್ಟು ಸಂ. ಮತ್ತು ದಿನಾಂಕ
೧.	ಮಾಪಕ ಸಿಂ. ಫೇಸ್ ..... ಆಂಪ್ಸ್				
	ಮಾಪಕ 3 ಫೇಸ್ 3X5/30A ಆಂಪ್ಸ್ 1750			X1N/OD =	1750/-
೨.	ಓವರ್‌ಹೆಡ್ ಮಾರ್ಗದಿಂದ ಪೋಲ್ ಫ್ಯೂಸ್ ಬೋರ್ಡಿನವರೆಗೆ ಸಂಪರ್ಕಕ್ಕಾಗಿ ಏರಿಯಲ್ ಫ್ಯೂಸ್ ಬೋರ್ಡು ಕಟ್‌ಔಟ್ ಒಟ್ಟಾರೆಯಾಗಿ			U/A =	100/-
೩.	ಇತರೆ, ಇನ್ನೇನಾದರೂ ಇದ್ದರೆ (ವಿವರ ಒದಗಿಸಿರಿ)	NEW SERVICE			
೪.	ಮರುಪಾವತಿ ಮಾಡಬೇಕಾದ ಸಂಪರ್ಕ ಮಾರ್ಗದ ಮಂಡಳಿಯ ಪಾಲಿನ ಮೊಬಲಗು		ಇಲ್ಲ ಸಿಂ. ಫೇಸ್ ರೂ. 400/750 3 ಫೇಸ್ ರೂ. 500/1,000		
೫.	ಬಾಕಿ ಇನ್ನೇನಾದರೂ ಇದ್ದರೆ				
೬.	ಒಟ್ಟು ಮೊತ್ತ	U/PR NO-- SEEH 1994		Rs =	1900/-
	ಸಂಪರ್ಕ ವಿಧಾನ		ಪರಾ		
	(ಅ) ಹಾಲಿ ಇರುವ ಸೇವಾ ಮಾರ್ಗ		☐		
	(ಆ) ಉದ್ದೇಶಿತ ಸಂಪರ್ಕ ಮಾರ್ಗ		☑		
	(ಇ) ಓವರ್ ಹೆಡ್ ಸಿಂ. ಫೇಸ್/3 ಫೇಸ್		☐		Field Report
	(ಈ) ಭೂಗತ ಕೇಬಲ್ ಸಿಂ. ಫೇಸ್/3 ಫೇಸ್		☑		Enclosed.
	(ಉ) ರಸ್ತೆ/ಪಾದಾಚಾರಿ ರಸ್ತೆ ಅಗೆಯುವ ಅಗತ್ಯ ಇದೆಯೇ		☐		
	ಅಥವಾ ಇಲ್ಲವೇ ಸಂಬಂಧಿಸಿದ ಚೌಕದಲ್ಲಿ ಗುರುತು ಮಾಡಿರಿ				

ದೃಢೀಕರಣ : (ಅಂದಾಜನ್ನು ಸಿದ್ಧಪಡಿಸುವ ಅಧಿಕಾರಿಯು ನೀಡತಕ್ಕದ್ದು)

೧. ಆವರಣವನ್ನು ಪರೀಕ್ಷಿಸಿದ ನಂತರ ನಾನು ಅಂದಾಜನ್ನು ಸಿದ್ಧ ಪಡಿಸಿದ್ದೇನೆ. ಮತ್ತು ಮಾಪಕ ಹಲಗೆಯ ಸ್ಥಾನವನ್ನು ನಿಗದಿಪಡಿಸಿ ಅದನ್ನು ಬಳಕೆದಾರರಿಗೆ/ಅವರ ಪ್ರತಿನಿಧಿಗಳಿಗೆ ತೋರಿಸಿದ್ದೇನೆ.

೨. ..... ಸಿಂ.ಫೇಸ್/3 ಫೇಸ್ ಗಾತ್ರದ ಓವರ್ ಹೆಡ್/ಭೂಗತ ಸೇವಾ ಮಾರ್ಗವನ್ನು ಹಾಕಬೇಕಾಗಿದೆ. ಹಾಲಿ ಇರುವ ..... ಕೆ.ಡಬ್ಲ್ಯೂ ಒತ್ತಡದಲ್ಲಿಯೇ ಸಿಂ.ಫೇಸ್/3 ಫೇಸ್‌ನ ..... ಗಾತ್ರದ ಓ.ಹೆಡ್/ಭೂಗತ ಕೇಬಲ್ಸ್ ಸೇವಾಮಾರ್ಗದಲ್ಲಿಯೇ ಹೆಚ್ಚುವರಿ ..... ಕೆ.ಡಬ್ಲ್ಯೂ ವಿದ್ಯುತ್ತನ್ನು ಹಾಯಿಸಲು ಸಾಧ್ಯವಾಗುತ್ತದೆ.

ಶಾಖಾಧಿಕಾರಿ (ಕಛೇರಿ ಮುಖ್ಯಸ್ಥ)

ASSISTANT ENGINEER (Ele.)
Nagawara-1 O & M Unit
BESCOM E.D. Bangalore

೧. ..... ವಿ.ಸ.ಕಂ.ನಿ. ನಿರ್ದೇಶನಗಳಿಗೆ ಅನುಗುಣವಾಗಿ ಐ.ಎಸ್.ಐ. ಗುರುತನ್ನುಳ್ಳ ..... ಗಾತ್ರದ ಸಿಂ.ಫೇಸ್/3 ಫೇಸ್ ಓವರ್‌ಹೆಡ್/ಭೂಗತ ಸೇವಾ ಕೇಬಲ್‌ಮಾರ್ಗಗಳನ್ನು ಒಳಗೊಂಡಂತೆ ಮಾಪಕ ಹಲಗೆಯ ಜೋಡಣೆ ಮತ್ತು ಸೀಲಬಲ್ ಕಟ್‌ಔಟ್‌ಗಳನ್ನು ಹಾಕಿಸಲು ಮತ್ತು ವಿದ್ಯುತ್ ಸಂಪರ್ಕ ಪಡೆದ ಒಂದು ವರ್ಷದ ಅವಧಿಯೊಳಗೆ ಉಂಟಾಗಬಹುದಾದ ದೋಷಯುಕ್ತ ಸೇವಾಮಾರ್ಗ/ಸಾಮಗ್ರಿಗಳನ್ನು ಗುತ್ತಿಗೆದಾರರ ಮುಖಾಂತರ ನನ್ನ ಸ್ವಂತ ಖರ್ಚಿನಲ್ಲಿ ಸರಿಪಡಿಸಲು/ಬದಲಾಯಿಸಲು ಒಪ್ಪಿದ್ದೇನೆ.

೨. ಮೇಲಿನ 4ನೇ ಕ್ರಮಾಂಕದಲ್ಲಿ ವಿವರಿಸಿರುವಂತೆ ನನಗೆ ಮರುಪಾವತಿ ಮಾಡಬೇಕಾದ ಮೊಬಲಗನ್ನು ಈ ಸ್ಥಾವರಕ್ಕೆ ಸಂಬಂಧಿಸಿದ ಲೆಕ್ಕಕ್ಕೆ ಹೊಂದಾಣಿಕೆ ಮಾಡಬೇಕಾಗಿ ವಿನಂತಿಸುತ್ತೇನೆ.

ಸ್ಥಾವರದ ಬಳಕೆದಾರರ ಸಹಿ

Assistant Executive Engineer
Byatarayanapura Sub Division
B.B.M P Bangalore-560024

ವಿದ್ಯುತ್ ಸರಬರಾಜು ಕಂಪನಿ ನಿಯಮಿತ

NAAD BANGALORE ಅವರ ಓವರ್ ಹೆಡ್/ಭೂಗತ ಸೇವಾ ಸಂಪರ್ಕಗಳ ಬಿಲ್ ನಮೂನೆ

ತಾಂತ್ರಿಕ ವಿಭಾಗ

(ಕಛೇರಿಯ ಉಪಯೋಗಕ್ಕೆ ಮಾತ್ರ)

ಭದ್ರತಾ ಠೇವಣಿ ರೂ. Rmnd 8610 ರಶೀದಿ ಸಂಖ್ಯೆ 15018 ದಿನಾಂಕ 9/11/18

ಮೇಲ್ವಿಚಾರಣಾ ಶುಲ್ಕ ರೂ. ——— ರಶೀದಿ ಸಂಖ್ಯೆ ——— ದಿನಾಂಕ ———

ಮಾಪಕ ಭದ್ರತಾ ಠೇವಣಿ ರೂ. ——— ರಶೀದಿ ಸಂಖ್ಯೆ ——— ದಿನಾಂಕ ———

ಮಂಜೂರಾಗಿರುವುದು ರೂ. (ಅ) ——— (ವಿತಕರಣಾ ಮಾರ್ಗ) + ರೂ. (ಆ) ———

ಒಟ್ಟು ರೂ. One Thousand Nine hundred only

ಕಾರ್ಯಾದೇಶ ಸಂಖ್ಯೆ NW/CG/SNP/18-19/14400/F 65923 ದಿನಾಂಕ 13/7/18

ಬಡ್ಜೆಟ್ "14,400-ಸಿ.ಡಬ್ಲ್ಯೂ.ಐ.ಪಿ.-ಸೇವಾ ಸಂಪರ್ಕಗಳು"

ಸಹಾಯಕ ಇಂಜಿನಿಯರು (ತಾಂತ್ರಿಕ) ಸಹಾಯಕ ಕಾರ್ಯ ನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರು (ವಿ.)

ದಿನಾಂಕ ——— ದಿನಾಂಕ ———

ನಿರ್ವಹಣೆ ಮತ್ತು ಪಾಲನೆ ಘಟಕ

ಸಂಪರ್ಕ ದಿನಾಂಕ ——— ಆರ್. ಆರ್. ಸಂಖ್ಯೆ ———

ಸಹಾಯಕ ಇಂಜಿನಿಯರ್ (ತಾಂತ್ರಿಕ)

ಹಳೆಯದು/ಹೊಸದು

ಸಂಪರ್ಕ ವಿಧಾನ : ಓವರ್ ಹೆಡ್/ಭೂಗತ-ಸಿಂಗಲ್/3 ಫೇಸ್

ಒಟ್ಟು ಉದ್ದ 5ನೇ ಬ್ಲಾಕ್, ಹೊರ ವರ್ತುಲ ರಸ್ತೆ, ನಾಗವಾರ

ಸಹಾಯಕ ಕಾರ್ಯ ನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರ್ (ವಿ)
ಪೂರ್ವ 9ನೇ ನಾಗವಾರ ಉಪವಿಭಾಗ
ಬೆಸ್ಕಾಂ, ಎಚ್.ಬಿ.ಆರ್. ಬಡಾವಣೆ, ಬೆಂಗಳೂರು-43

ಬೆಲೆ ರೂ. ——— (ಅ)

ಈ ನಮೂನೆಯ ನಮೂದಿಗೆ ಅನುಗುಣವಾಗಿ ಸಂಪರ್ಕ ಮಾರ್ಗ ಹಾಕಲಾಗಿದೆ.

ಶಾಖಾಧಿಕಾರಿ

ರೆವಿನ್ಯೂ ಶಾಖೆಯ ಉಪಯೋಗಕ್ಕೆ

ಖಾತೆ ಪುಸ್ತಕದಲ್ಲಿ ಖಾತೆ ಆರಂಭಿಸಿದ ದಿನಾಂಕ ———

ಖಾತೆ ಪುಸ್ತಕ ಪುಟ ಸಂಖ್ಯೆ ———

ಮೊದಲನೆ ಬಿಲ್ಲನ್ನು ಕಳುಹಿಸಿದ್ದು ———

ಮೂಬಲಗು ರೂ. ———

ಮಾರ್ಗ ಕನಿಷ್ಠ ಶುಲ್ಕ ರೂ. ———

ಕಿರಿಯ ಸಹಾಯಕ/ಸಹಾಯಕ

ತಾಳೆ ನೋಡಿದೆ

ಹಿರಿಯ ಸಹಾಯಕ/ಸಹಾಯಕ ಲೆಕ್ಕಾಧಿಕಾರಿ

ವಿಭಾಗ ಕಛೇರಿಯ ಉಪಯೋಗಕ್ಕೆ

೧. ಆಸ್ತಿಯ ಮೌಲ್ಯ ರೂ. ———

(ಕಂಪನಿಗೆ ಖರ್ಚು ಹಾಕಬಹುದಾದದ್ದು) ——— (ಅ)

ಮತ್ತು ರೂ. ———

(ಬಳಕೆದಾರರಿಗೆ ಖರ್ಚು ಹಾಕಬಹುದಾದದ್ದು) ——— (ಆ)

ಒಟ್ಟು ರೂ. ——— (ಅ+ಆ)ಗಳನ್ನು ವರ್ಗೀಕರಿಸಲಾಗಿದೆ

೨. ಶ್ರೀ/ಶ್ರೀಮತಿ ———

ಅವರ ಹೆಸರಿಗೆ ರೂ. ——— ಹೊಂದಾಣಿಕೆ

ಮಾಡಲಾಗಿದ್ದು ವಿಭಾಗೀಯ ಲೆಕ್ಕದಲ್ಲಿ ಸೇರಿಸಲಾಗಿದೆ.

ಸಹಾಯಕ/ಹಿರಿಯ ಸಹಾಯಕ

ತಾಳೆ ನೋಡಿದೆ

ಸಹಾಯಕ ಲೆಕ್ಕಾಧಿಕಾರಿ

Bangalore

ಅಂದಾಜನ್ನು ಒಳಗೊಂಡ ಸಮಾಪನ ವರದಿ ಶ್ರೀ (ಹೆಸರು ಮತ್ತು ವಿಳಾಸ) Aff BB MP:

ಅರ್ಜಿ ಸಂಖ್ಯೆ LTb ಅಂದಾಜು ಸಂಖ್ಯೆ Ae/e9/W:1

ಪ್ರಮಾಣ In the xing ದಿನಾಂಕ 06/07/2018

ಕ್ರಮ ಸಂಖ್ಯೆ	ವಿವರ	ಸಾಮಗ್ರಿ ಸಂಕೇತ ಸಂಖ್ಯೆ	ದರ	ಅಂದಾಜು ಮಾಡಿದಂತೆ ಪರಿಮಾಣ	ನಿರೀಕ್ಷಿಸಿದಂತೆ ಮೊಬಲಗು ಪರಿಮಾಣ, ಸರಕುಪಟ್ಟ ಸಂ. ಮತ್ತು ದಿನಾಂ
೧.	ಮಾಪಕ ಸಿಂ. ಫೇಸ್ ..... ಅಂಪ್ಸ್ ಮಾಪಕ 3 ಫೇಸ್ 3x5/30 ಅಂಪ್ಸ್	1750		x 1 no's	= 1750/-
೨.	ಓವರ್‌ಹೆಡ್ ಮಾರ್ಗದಿಂದ ಪೋಲ್ ಫ್ಯೂಸ್ ಬೋರ್ಡಿನವರೆಗೆ ಸಂಪರ್ಕಕ್ಕಾಗಿ ಏರಿಯಲ್ ಫ್ಯೂಸ್ ಬೋರ್ಡು ಕಟ್‌ಔಟ್ ಒಟ್ಟಾರೆಯಾಗಿ			C/o	= 150/-
೩.	ಇತರೆ, ಇನ್ನೇನಾದರೂ ಇದ್ದರೆ (ವಿವರ ಒದಗಿಸಿರಿ)	New Service			
೪.	ಮರುಪಾವತಿ ಮಾಡಬೇಕಾದ ಸಂಪರ್ಕ ಮಾರ್ಗದ ಮಂಡಳಿಯ ಪಾಲಿನ ಮೊಬಲಗು			ಇಲ್ಲ ಸಿಂ. ಫೇಸ್ ರೂ. 400/750 3 ಫೇಸ್ ರೂ. 500/1,000	
೫.	ಬಾಕಿ ಇನ್ನೇನಾದರೂ ಇದ್ದರೆ				
೬.	ಒಟ್ಟು ಮೊತ್ತ U/R Rule 16932.			Rs	= 1900/-

ಸಂಪರ್ಕ ವಿಧಾನ		ಪರಾ
(ಅ)	ಹಾಲಿ ಇರುವ ಸೇವಾ ಮಾರ್ಗ	☐
(ಆ)	ಉದ್ದೇಶಿತ ಸಂಪರ್ಕ ಮಾರ್ಗ	☑
(ಇ)	ಓವರ್ ಹೆಡ್ ಸಿಂ. ಫೇಸ್/3 ಫೇಸ್	☐
(ಈ)	ಭೂಗತ ಕೇಬಲ್ ಸಿಂ. ಫೇಸ್/3 ಫೇಸ್	☑ Field Report Enclosed
(ಉ)	ರಸ್ತೆ/ಪಾದಾಚಾರಿ ರಸ್ತೆ ಅಗೆಯುವ ಅಗತ್ಯ ಇದೆಯೇ	☐
	ಅಥವಾ ಇಲ್ಲವೇ ಸಂಬಂಧಿಸಿದ ಚೌಕದಲ್ಲಿ ಗುರುತು ಮಾಡಿರಿ	

ದೃಢೀಕರಣ : (ಅಂದಾಜನ್ನು ಸಿದ್ಧಪಡಿಸುವ ಅಧಿಕಾರಿಯು ನೀಡತಕ್ಕದ್ದು)

೧. ಆವರಣವನ್ನು ಪರೀಕ್ಷಿಸಿದ ನಂತರ ನಾನು ಅಂದಾಜನ್ನು ಸಿದ್ಧ ಪಡಿಸಿದ್ದೇನೆ. ಮತ್ತು ಮಾಪಕ ಹಲಗೆಯ ಸ್ಥಾನವನ್ನು ನಿಗದಿಪಡಿಸಿ ಅದನ್ನ ಬಳಕೆದಾರರಿಗೆ/ಅವರ ಪ್ರತಿನಿಧಿಗಳಿಗೆ ತೋರಿಸಿದ್ದೇನೆ.

೨. ..... ಸಿಂ.ಫೇಸ್/3 ಫೇಸ್ ಗಾತ್ರದ ಓವರ್ ಹೆಡ್/ಭೂಗತ ಸೇವಾ ಮಾರ್ಗವನ್ನು ಹಾಕಬೇಕಾಗಿದೆ. ಹಾಲಿ ಇರುವ ..... ಕೆ.ಡಬ್ಲ್ಯೂ ಒತ್ತಡದಲ್ಲಿಯೇ ಸಿಂ.ಫೇಸ್/3 ಫೇಸ್‌ನ ..... ಗಾತ್ರದ ಓ.ಹೆಡ್/ಭೂಗತ ಕೇಬಲ್ಸ್ ಸೇವಾಮಾರ್ಗದಲ್ಲಿಯೇ ಹೆಚ್ಚುವ ..... ಕೆ.ಡಬ್ಲ್ಯೂ ವಿದ್ಯುತ್ತನ್ನು ಹಾಯಿಸಲು ಸಾಧ್ಯವಾಗುತ್ತದೆ.

ಶಾಖಾಧಿಕಾರಿ (ಕಛೇರಿ ಜೂನಿಯರ್)

ASSISTANT ENGINEER (Elc.)
Nagawara-1 O & M Unit
BESCOM, Bangalore

೩. ..... ಎ.ಸ.ಕಂ.ನಿ. ನಿರ್ದೇಶನಗಳಿಗೆ ಅನುಗುಣವಾಗಿ ಐ.ಎಸ್.ಐ. ಗುರುತನ್ನುಳ್ಳ ..... ಗಾತ್ರ ಸಿಂ.ಫೇಸ್/3 ಫೇಸ್ ಓವರ್‌ಹೆಡ್/ಭೂಗತ ಸೇವಾ ಕೇಬಲ್‌ಮಾರ್ಗಗಳನ್ನು ಒಳಗೊಂಡಂತೆ ಮಾಪಕ ಹಲಗೆಯ ಜೋಡಣೆ ಮತ್ತು ಸೀಲಬಲ್ ಕಟ್‌ಔಟ್‌ಗಳನ್ನು ಹಾಕಿಸಲು ಮತ್ತು ವಿದ್ಯುತ್ ಸಂಪರ್ಕ ಪಡೆದ ಒಂದು ವರ್ಷದ ಅವಧಿಯೊಳಗೆ ಉಂಟಾಗಬಹುದಾದ ದೋಷಯು ಸೇವಾಮಾರ್ಗ/ಸಾಮಗ್ರಿಗಳನ್ನು ಗುತ್ತಿಗೆದಾರರ ಮುಖಾಂತರ ನನ್ನ ಸ್ವಂತ ಖರ್ಚಿನಲ್ಲಿ ಸರಿಪಡಿಸಲು/ಬದಲಾಯಿಸಲು ಒಪ್ಪಿದ್ದೇನೆ.

೪. ಮೇಲಿನ 4ನೇ ಕ್ರಮಾಂಕದಲ್ಲಿ ವಿವರಿಸಿರುವಂತೆ ನನಗೆ ಮರುಪಾವತಿ ಮಾಡಬೇಕಾದ ಮೊಬಲಗನ್ನು ಈ ಸ್ಥಾವರಕ್ಕೆ ಸಂಬಂಧಿಸಿದ ಲೆ ಹೊಂದಾಣಿಕೆ ಮಾಡಬೇಕಾಗಿ ವಿನಂತಿಸುತ್ತೇನೆ.

ಸ್ಥಾಂಪು

Assistant Executive Engineer
Byatarayanapura Sub Division
B.B.M.P Bangalore-560024

ಬಳಕೆದಾರರ ಸಹಿ

ವಿದ್ಯುತ್ ಸರಬರಾಜು ಕಂಪನಿ ನಿಯಮಿತ

Thanisandra Village Bantuplore ಅವರ ಓವರ್ ಹೆಡ್/ಭೂಗತ ಸೇವಾ ಸಂಪರ್ಕಗಳ ಬಿಲ್ ನಮೂನೆ

ತಾಂತ್ರಿಕ ವಿಭಾಗ

(ಕಛೇರಿಯ ಉಪಯೋಗಕ್ಕೆ ಮಾತ್ರ)

೧. ಭದ್ರತಾ ಠೇವಣಿ ರೂ. 2mmd 8610 (8610) ರಶೀದಿ ಸಂಖ್ಯೆ 78932 ದಿನಾಂಕ 9/2/18

೨. ಮೇಲ್ವಿಚಾರಣಾ ಶುಲ್ಕ ರೂ. ——— ರಶೀದಿ ಸಂಖ್ಯೆ ——— ದಿನಾಂಕ ———

೩. ಮಾಪಕ ಭದ್ರತಾ ಠೇವಣಿ ರೂ. ——— ರಶೀದಿ ಸಂಖ್ಯೆ ——— ದಿನಾಂಕ ———

ಮಂಜೂರಾಗಿರುವುದು ರೂ. (ಅ) ——— (ವಿತಕರಣಾ ಮಾರ್ಗ) + ರೂ. (ಆ) ———

ಒಟ್ಟು ರೂ. One thousand nine hundred only

ಕಾರ್ಯಾದೇಶ ಸಂಖ್ಯೆ NWL-Gl/SND/18-19/14-400/L-65922 ದಿನಾಂಕ 13/2/18

ಬಡ್ಜೆಟ್ "14,400-ಸಿ.ಡಬ್ಲ್ಯೂ.ಐ.ಪಿ.-ಸೇವಾ ಸಂಪರ್ಕಗಳು"

ಸಹಾಯಕ ಇಂಜಿನಿಯರು (ತಾಂತ್ರಿಕ)

ದಿನಾಂಕ .....

ಸಹಾಯಕ ಕಾರ್ಯ ನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರು (ವಿ.)

ದಿನಾಂಕ .....

ನಿರ್ವಹಣೆ ಮತ್ತು ಪಾಲನೆ ಘಟಕ

ಸಹಾಯಕ ಇಂಜಿನಿಯರ್(ತಾಂತ್ರಿಕ)
ಬೆಸ್ಕಾಂ, ಪೂರ್ವ 9ನೇ ನಾಗವಾರ ಉಪವಿಭಾಗ
ಹೆಚ್.ಬಿ.ಆರ್. ಬಡಾವಣೆ, ಬೆಂಗಳೂರು-43

ಸಹಾಯಕ ಕಾರ್ಯನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರ್ (ವಿ)
ಹೆಚ್.ಬಿ.ಆರ್. ಬಡಾವಣೆ, ನಾಗವಾರ, ಬೆಂಗಳೂರು-43

ಸಂಪರ್ಕ ದಿನಾಂಕ ಬಡಾವಣೆ, ಮೊದಲನೇ ಹಂತ ಆರ್. ಆರ್. ಲೇಔಟ್, ನಾಗವಾರ, ಉಪ-ವಿಭಾಗ, ಬೆ.ವಿ.ಕಂ.

ಇರುವುದು/ಕೊಡಬೇಕು ಸೆಕೆಂಡ್ ಮೇನ್ ರೋಡ್, ಸರ್ವೆ ನಂ. ೪೫, ಕೆಂಪಾಪುರ ಅಗ್ರಹಾರ ಚರ್ಚ್ ಸ್ಟ್ರೀಟ್, ಕೆ.ಆರ್. ಪುರಂ ಹೋಬಳಿ, ಬೆಂಗಳೂರು ಪೂರ್ವ ತಾಲ್ಲೂಕು, ಪಿನ್ ಕೋಡ್-560045

ಸಂಪರ್ಕ ವಿಧಾನ ಓವರ್ ಹೆಡ್/ಭೂಗತ-ಸಿಂಗಲ್ ಫೇಸ್/3 ಫೇಸ್

ಒಟ್ಟು ಉದ್ದ .....

ವೆಚ್ಚ ರೂ. ..... (ಅ)

ಅನುಮೋದಿನ ನಮೂದಿಗೆ ಅನುಗುಣವಾಗಿ ಸಂಪರ್ಕ ಮಾರ್ಗ ಹಾಕಲಾಗಿದೆ.

ಶಾಖಾಧಿಕಾರಿ

ರೆವಿನ್ಯೂ ಶಾಖೆಯ ಉಪಯೋಗಕ್ಕೆ

೧. ಖಾತೆ ಪುಸ್ತಕದಲ್ಲಿ ಖಾತೆ ಆರಂಭಿಸಿದ ದಿನಾಂಕ .....

೨. ಖಾತೆ ಪುಸ್ತಕ ಪುಟ ಸಂಖ್ಯೆ .....

೩. ಮೊದಲನೆ ಬಿಲ್ಲನ್ನು ಕಳುಹಿಸಿದ್ದು .....

ಮೊಬಲಗು ರೂ. .....

೪. ಮಾರ್ಗ ಕನಿಷ್ಠ ಶುಲ್ಕ ರೂ. .....

ಕಿರಿಯ ಸಹಾಯಕ/ಸಹಾಯಕ

ತಾಳೆ ನೋಡಿದೆ

ಹಿರಿಯ ಸಹಾಯಕ/ಸಹಾಯಕ ಲೆಕ್ಕಾಧಿಕಾರಿ

ವಿಭಾಗ ಕಛೇರಿಯ ಉಪಯೋಗಕ್ಕೆ

೧. ಆಸ್ತಿಯ ಮೌಲ್ಯ ರೂ. .....

(ಕಂಪನಿಗೆ ಖರ್ಚು ಹಾಕಬಹುದಾದದ್ದು) ..... (ಅ)

ಮತ್ತು ರೂ. .....

(ಬಳಕೆದಾರರಿಗೆ ಖರ್ಚು ಹಾಕಬಹುದಾದದ್ದು) ..... (ಆ)

ಒಟ್ಟು ರೂ. ..... (ಅ+ಆ)ಗಳನ್ನು ವರ್ಗೀಕರಿಸಲಾಗಿದೆ

೨. ಶ್ರೀ/ಶ್ರೀಮತಿ .....

ಅವರ ಹೆಸರಿಗೆ ರೂ. ..... ಹೊಂದಾಣಿಕೆ ಮಾಡಲಾಗಿದ್ದು ವಿಭಾಗೀಯ ಲೆಕ್ಕದಲ್ಲಿ ಸೇರಿಸಲಾಗಿದೆ.

ಸಹಾಯಕ/ಹಿರಿಯ ಸಹಾಯಕ

ತಾಳೆ ನೋಡಿದೆ

ಸಹಾಯಕ ಲೆಕ್ಕಾಧಿಕಾರಿ

Bangalore

ಅಂದಾಜನ್ನು ಒಳಗೊಂಡ ಸಮಾಪನ ವರದಿ ಶ್ರೀ (ಹೆಸರು ಮತ್ತು ವಿಳಾಸ) AEE BBMP

ಅರ್ಜಿ ಸಂಖ್ಯೆ LT 6 ಅಂದಾಜು ಸಂಖ್ಯೆ AE/E9/2021

ಪ್ರಮಾಣ 10HP X1NOS ದಿನಾಂಕ 06/07/2021

ಕ್ರಮ ಸಂಖ್ಯೆ	ವಿವರ	ಸಾಮಗ್ರಿ ಸಂಕೇತ ಸಂಖ್ಯೆ	ದರ	ಅಂದಾಜು ಮಾಡಿದಂತೆ ಪರಿಮಾಣ	ನಿರೀಕ್ಷಿಸಿದಂತೆ ಮೊಬಲಗು ಪರಿಮಾಣ, ಸರಕುಪಟ್ಟಿ ಸಂ. ಪ
೧.	ಮಾಪಕ ಸಿಂ. ಫೇಸ್ ..... ಅಂಪ್ಸ್				
	ಮಾಪಕ 3 ಫೇಸ್ 5/30A ಅಂಪ್ಸ್		₹ 1750	X1NOS	= 1750
೨.	ಓವರ್‌ಹೆಡ್ ಮಾರ್ಗದಿಂದ ಪೋಲ್ ಫ್ಯೂಸ್ ಬೋರ್ಡಿನವರೆಗೆ ಸಂಪರ್ಕಕ್ಕಾಗಿ ಏರಿಯಲ್ ಫ್ಯೂಸ್ ಬೋರ್ಡು ಕಟ್‌ಔಟ್ ಒಟ್ಟಾರೆಯಾಗಿ			C/S	= 150
೩.	ಇತರೆ, ಇನ್ನೇನಾದರೂ ಇದ್ದರೆ (ವಿವರ ಒದಗಿಸಿರಿ)			New Service	
೪.	ಮರುಪಾವತಿ ಮಾಡಬೇಕಾದ ಸಂಪರ್ಕ ಮಾರ್ಗದ ಮಂಡಳಿಯ ಪಾಲಿನ ಮೊಬಲಗು			ಇಲ್ಲ ಸಿಂ. ಫೇಸ್ ರೂ. 400/750 3 ಫೇಸ್ ರೂ. 500/1,000	
೫.	ಬಾಕಿ ಇನ್ನೇನಾದರೂ ಇದ್ದರೆ				
೬.	ಒಟ್ಟು ಮೊತ್ತ			D A	= 19

ಸಂಪರ್ಕ ವಿಧಾನ — ಪರಾ

(ಅ) ಹಾಲಿ ಇರುವ ಸೇವಾ ಮಾರ್ಗ ☐ .....

(ಆ) ಉದ್ದೇಶಿತ ಸಂಪರ್ಕ ಮಾರ್ಗ ☑ .....

(ಇ) ಓವರ್ ಹೆಡ್ ಸಿಂ. ಫೇಸ್/3 ಫೇಸ್ ☐ ..... Field Report Enclosed

(ಈ) ಭೂಗತ ಕೇಬಲ್ ಸಿಂ. ಫೇಸ್/3 ಫೇಸ್ ☑ .....

(ಉ) ರಸ್ತೆ/ಪಾದಾಚಾರಿ ರಸ್ತೆ ಅಗೆಯುವ ಅಗತ್ಯ ಇದೆಯೇ ☐ .....

ಅಥವಾ ಇಲ್ಲವೇ ಸಂಬಂಧಿಸಿದ ಚೌಕದಲ್ಲಿ ಗುರುತು ಮಾಡಿರಿ .....

ದೃಢೀಕರಣ : (ಅಂದಾಜನ್ನು ಸಿದ್ಧಪಡಿಸುವ ಅಧಿಕಾರಿಯು ನೀಡತಕ್ಕದ್ದು)

೧. ಆವರಣವನ್ನು ಪರೀಕ್ಷಿಸಿದ ನಂತರ ನಾನು ಅಂದಾಜನ್ನು ಸಿದ್ಧ ಪಡಿಸಿದ್ದೇನೆ. ಮತ್ತು ಮಾಪಕ ಹಲಗೆಯ ಸ್ಥಾನವನ್ನು ನಿಗದಿಪಡಿಸಿ ಬಳಕೆದಾರರಿಗೆ/ಅವರ ಪ್ರತಿನಿಧಿಗಳಿಗೆ ತೋರಿಸಿದ್ದೇನೆ.

೨. ..... ಸಿಂ.ಫೇಸ್/3 ಫೇಸ್ ಗಾತ್ರದ ಓವರ್ ಹೆಡ್/ಭೂಗತ ಸೇವಾ ಮಾರ್ಗವನ್ನು ಹಾಕಬೇಕಾಗಿದೆ. ಹಾಲಿ ಇರುವ ..... ಕೆ.ಡಬ್ಲ್ಯೂ ಒತ್ತಡದಲ್ಲಿಯೇ ಸಿಂ.ಫೇಸ್/3 ಫೇಸ್‌ನ ..... ಗಾತ್ರದ ಓ.ಹೆಡ್/ಭೂಗತ ಕೇಬಲ್ಸ್ ಸೇವಾಮಾರ್ಗದಲ್ಲಿಯೇ ..... ಕೆ.ಡಬ್ಲ್ಯೂ ವಿದ್ಯುತ್ತನ್ನು ಹಾಯಿಸಲು ಸಾಧ್ಯವಾಗುತ್ತದೆ.

ಶಾಖಾಧಿಕಾರಿ (ಕಛೇರಿ ಮೊಹರ್)

ASSISTANT ENGINEER (E)
Byatarayanapura-I.C.O.M.Unit
B.B.M.P. Bangalore
RECOM. E-9, Bangalore

೧. ..... ವಿ.ಸ.ಕಂ.ನಿ. ನಿರ್ದೇಶನಗಳಿಗೆ ಅನುಗುಣವಾಗಿ ಐ.ಎಸ್.ಐ. ಗುರುತನ್ನುಳ್ಳ ..... ಸಿಂ.ಫೇಸ್/3 ಫೇಸ್ ಓವರ್‌ಹೆಡ್/ಭೂಗತ ಸೇವಾ ಕೇಬಲ್‌ಮಾರ್ಗಗಳನ್ನು ಒಳಗೊಂಡಂತೆ ಮಾಪಕ ಹಲಗೆಯ ಜೋಡಣೆ ಮತ್ತು ಕಟ್‌ಔಟ್‌ಗಳನ್ನು ಹಾಕಿಸಲು ಮತ್ತು ವಿದ್ಯುತ್ ಸಂಪರ್ಕ ಪಡೆದ ಒಂದು ವರ್ಷದ ಅವಧಿಯೊಳಗೆ ಉಂಟಾಗಬಹುದಾದ ದೋ ಸೇವಾಮಾರ್ಗ/ಸಾಮಗ್ರಿಗಳನ್ನು ಗುತ್ತಿಗೆದಾರರ ಮುಖಾಂತರ ನನ್ನ ಸ್ವಂತ ಖರ್ಚಿನಲ್ಲಿ ಸರಿಪಡಿಸಲು/ಬದಲಾಯಿಸಲು ಒಪ್ಪಿದ್ದೇನೆ.

೨. ಮೇಲಿನ 4ನೇ ಕ್ರಮಾಂಕದಲ್ಲಿ ವಿವರಿಸಿರುವಂತೆ ನನಗೆ ಮರುಪಾವತಿ ಮಾಡಬೇಕಾದ ಮೊಬಲಗನ್ನು ಈ ಸ್ಥಾವರಕ್ಕೆ ಸಂಬಂಧಿಸಿ ಹೊಂದಾಣಿಕೆ ಮಾಡಬೇಕಾಗಿ ವಿನಂತಿಸುತ್ತೇನೆ.

ಸ್ಥಾವರ

Assistant Executive Engin
Byatarayanapura Sub Divisi
B.B.M.P. Bangalore-56002

ಬಳಕೆದಾರರ ಸಹಿ

ವಿದ್ಯುತ್ ಸರಬರಾಜು ಕಂಪನಿ ನಿಯಮಿತ

Record No 1 Hanuman Bangalore ಅವರ ಓವರ್ ಹೆಡ್/ಭೂಗತ ಸೇವಾ ಸಂಪರ್ಕಗಳ ಬಿಲ್ ನಮೂನೆ

ತಾಂತ್ರಿಕ ವಿಭಾಗ

(ಕಛೇರಿಯ ಉಪಯೋಗಕ್ಕೆ ಮಾತ್ರ)

೧. ಭದ್ರತಾ ಠೇವಣಿ ರೂ. Rs 8610 ರಶೀದಿ ಸಂಖ್ಯೆ 01965 ದಿನಾಂಕ 13/2/18

೨. ಮೇಲ್ವಿಚಾರಣಾ ಶುಲ್ಕ ರೂ. — ರಶೀದಿ ಸಂಖ್ಯೆ — ದಿನಾಂಕ —

೩. ಮಾಸಿಕ ಭದ್ರತಾ ಠೇವಣಿ ರೂ. — ರಶೀದಿ ಸಂಖ್ಯೆ — ದಿನಾಂಕ —

ಮಂಜೂರಾಗಿರುವುದು ರೂ. (ಅ) ..... (ವಿತರಣಾ ಮಾರ್ಗ) + ರೂ. (ಆ) .....

ಒಟ್ಟು ರೂ. One Thousand Nine hundred only

ಕಾರ್ಯಾದೇಶ ಸಂಖ್ಯೆ NWLC-9/SNO/18-19/14-400/C 6542 ದಿನಾಂಕ 13/2/18

ಬಡ್ಜೆಟ್ "14,400-ಪಿ.ಡಬ್ಲ್ಯೂ.ಐ.ಪಿ.-ಸೇವಾ ಸಂಪರ್ಕಗಳು"

ಸಹಾಯಕ ಇಂಜಿನಿಯರು (ತಾಂತ್ರಿಕ) — ಸಹಾಯಕ ಕಾರ್ಯ ನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರು (ಎ.)

ದಿನಾಂಕ ..... ದಿನಾಂಕ .....

ಸಹಾಯಕ ಇಂಜಿನಿಯರ್(ತಾಂತ್ರಿಕ) ಸಹಾಯಕ ಕಾರ್ಯನಿರ್ವಾಹಕ ಇಂಜಿನಿಯರ್ (ಎ)

ಎಚ್.ಬಿ.ಆರ್. ಬಡಾವಣೆ, ಮೊದಲನೇ ಹಂತ ಮೊದಲನೇ ಬ್ಲಾಕ್, ಹೊರ ವರ್ತುಲ ರಸ್ತೆ, ನಾಗವಾರ ಬೆಂಗಳೂರು-560043 ಹೆಚ್.ಬಿ.ಆರ್. ಬಡಾವಣೆ, ನಾಗವಾರ, ಬೆಂಗಳೂರು-43

ನಿರ್ವಹಣೆ ಮತ್ತು ಪಾಲನೆ ಘಟಕ

ಸಂಪರ್ಕ ದಿನಾಂಕ ..... ಆರ್. ಆರ್. ಸಂಖ್ಯೆ .....

ಇರುವುದು/ಹೊಸದು

ಸಂಪರ್ಕ ವಿಧಾನ : ಓವರ್ ಹೆಡ್/ಭೂಗತ-ಸಿಂಗಲ್ ಫೇಸ್/3 ಫೇಸ್

ಒಟ್ಟೂ ಉದ್ದ .....

ವೆಚ್ಚ ರೂ. ..... (ಆ)

ಅನುಮೋದಿನ ನಮೂದಿಗೆ ಅನುಗುಣವಾಗಿ ಸಂಪರ್ಕ ಮಾರ್ಗ ಹಾಕಲಾಗಿದೆ.

ಶಾಖಾಧಿಕಾರಿ

ರೆವಿನ್ಯೂ ಶಾಖೆಯ ಉಪಯೋಗಕ್ಕೆ

೧. ಖಾತೆ ಪುಸ್ತಕದಲ್ಲಿ ಖಾತೆ ಆರಂಭಿಸಿದ ದಿನಾಂಕ .....

೨. ಖಾತೆ ಪುಸ್ತಕ ಪುಟ ಸಂಖ್ಯೆ .....

೩. ಮೊದಲನೆ ಬಿಲ್ಲನ್ನು ಕಳುಹಿಸಿದ್ದು .....

ಮೊಬಲಗು ರೂ. .....

೪. ಮಾರ್ಗ ಕನಿಷ್ಠ ಶುಲ್ಕ ರೂ. .....

ಕಿರಿಯ ಸಹಾಯಕ/ಸಹಾಯಕ

ತಾಳೆ ನೋಡಿದೆ

ಹಿರಿಯ ಸಹಾಯಕ/ಸಹಾಯಕ ಲೆಕ್ಕಾಧಿಕಾರಿ

ವಿಭಾಗ ಕಛೇರಿಯ ಉಪಯೋಗಕ್ಕೆ

೧. ಆಸ್ತಿಯ ಮೌಲ್ಯ ರೂ. .....

(ಕಂಪನಿಗೆ ಖರ್ಚು ಹಾಕಬಹುದಾದದ್ದು) ..... (ಅ)

ಮತ್ತು ರೂ. .....

(ಬಳಕೆದಾರರಿಗೆ ಖರ್ಚು ಹಾಕಬಹುದಾದದ್ದು) ..... (ಆ)

ಒಟ್ಟು ರೂ. ..... (ಅ+ಆ)ಗಳನ್ನು ವರ್ಗೀಕರಿಸಲಾಗಿದೆ

೨. ಶ್ರೀ/ಶ್ರೀಮತಿ .....

ಅವರ ಹೆಸರಿಗೆ ರೂ. ..... ಹೊಂದಾಣಿಕೆ

ಮಾಡಲಾಗಿದ್ದು ವಿಭಾಗೀಯ ಲೆಕ್ಕದಲ್ಲಿ ಸೇರಿಸಲಾಗಿದೆ.

ಸಹಾಯಕ/ಹಿರಿಯ ಸಹಾಯಕ

ತಾಳೆ ನೋಡಿದೆ

ಸಹಾಯಕ ಲೆಕ್ಕಾಧಿಕಾರಿ

BOREWELL COMPLETION REPORT

VINAYAKA ENTERPRISES

Borewell Drilling Contractors

Mobile : +91 9342202932 / 9343202932

No. 9, Bhadrappa Layout, Bhadrappa Compound, Near Hebbal, Ring Road, Bangalore 560094

No. : 980 Date : _____

1. Customer's Name and Address with Telephone No. : AEE. BBMP. Bhatarayanapura Sub division. Yalahanka Zone.
2. Well Location : Hegadenagara 2nd cross
3. Total Well Depth / Drilled in Ft. : 989 feet.
4. Casing Erected in Ft. : 160 feet.
5. Water Struck at the Depth of : 480 feet.
6. Total Yield (Measuring method "V" Norch : 2 inches / Inches on "V" Norch)
7. Formation of Soil/Well Water Condition : Boulders/Silt/Loose Soil/Clear clear
8. At the Depth of : 900 feet.
9. Recommended to use Jet Pump / Air Compressor / Submersible /Hand Pump

The Borewell was drilled in accordance with the company terms and conditions and handed over to customer in good/ satisfied / Party agreed conditions.

Once the well handed over to party, company is no way responsible for further developments if anything in the well or what so ever.

Party's Signature

I, owner of the Well / (Authorised signatory) fully understood the terms and conditions and the well completion report, I also fully understood the quality and quantity of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for further occurrence / Changes in the bore with full satisfaction. I hereby endorse my signature.

For VINAYAKA ENTERPRISES

~~Manager~~ / Proprietor

Party's Signature

BOREWELL COMPLETION REPORT

VINAYAKA ENTERPRISES

Borewell Drilling Contractors

Mobile : +91 9342202932 / 9343202932

No. 9, Bhadrappa Layout, Bhadrappa Compound, Near Hebbal, Ring Road, Bangalore 560094

No. : 977 Date : _____

1. Customer's Name and Address with Telephone No. : AEE. BBMP. Byatarayanapura Sub division. Yalahanka zone.
2. Well Location : Thanisandra Near Water Tank.
3. Total Well Depth / Drilled in Ft. : 985 feet.
4. Casing Erected in Ft. : 145 feet.
5. Water Struck at the Depth of : 645 feet.
6. Total Yield (Measuring method "V" Norch : 2 inch. / Inches on "V" Norch)
7. Formation of Soil/Well Water Condition : Boulders/Silt/Loose Soil/Clear Clear
8. At the Depth of : 805 feet.
9. Recommended to use Jet Pump / Air Compressor / Submersible /Hand Pump

The Borewell was drilled in accordance with the company terms and conditions and handed over to customer in good/ satisfied / Party agreed conditions.

Once the well handed over to party, company is no way responsible for further developments if anything in the well or what so ever.

Party's Signature

I, owner of the Well / (Authorised signatory) fully understood the terms and conditions and the well completion report, I also fully understood the quality and quantity of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for further occurrence / Changes in the bore with full satisfaction. I hereby endorse my signature.

For VINAYAKA ENTERPRISES

Party's Signature

~~Manager~~ / Proprietor

BOREWELL COMPLETION REPORT

VINAYAKA ENTERPRISES

Borewell Drilling Contractors

Mobile : +91 9342202932 / 9343202932

No. 9, Bhadrappa Layout, Bhadrappa Compound, Near Hebbal, Ring Road, Bangalore 560094

No. : 979 Date : _____

1. Customer's Name and Address with Telephone No. : AEE. BBMP. Byatarayanapura Sub division. Yalahanka Zone.
2. Well Location : Jagadamba Temple. Hegadenagara
3. Total Well Depth / Drilled in Ft. : 998 feet.
4. Casing Erected in Ft. : 168 feet.
5. Water Struck at the Depth of : 520 feet.
6. Total Yield (Measuring method "V" Norch : 2½ inch / Inches on "V" Norch)
7. Formation of Soil/Well Water Condition : Boulders/Silt/Loose Soil/Clear Clear.
8. At the Depth of : 900 feet.
9. Recommended to use Jet Pump / Air Compressor / Submersible /Hand Pump ✓

The Borewell was drilled in accordance with the company terms and conditions and handed over to customer in good/ satisfied / Party agreed conditions.

Once the well handed over to party, company is no way responsible for further developments if anything in the well or what so ever.

Party's Signature

I, owner of the Well / (Authorised signatory) fully understood the terms and conditions and the well completion report, I also fully understood the quality and quantity of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for further occurrence / Changes in the bore with full satisfaction. I hereby endorse my signature.

For VINAYAKA ENTERPRISES

Party's Signature

~~Manager~~ / Proprietor

BOREWELL COMPLETION REPORT

VINAYAKA ENTERPRISES

Borewell Drilling Contractors

Mobile : +91 9342202932 / 9343202932

No. 9, Bhadrappa Layout, Bhadrappa Compound, Near Hebbal, Ring Road, Bangalore 560094

No. : 978 Date : _____

1. Customer's Name and Address : AEE BBMP. Byatarayanapura
   with Telephone No. Sub division.
   Yalahanka zone.
2. Well Location : Police Quarters Hegadenagara
3. Total Well Depth / Drilled in Ft. : 995 feet.
4. Casing Erected in Ft. : 143 feet.
5. Water Struck at the Depth of : 620 feet.
6. Total Yield (Measuring method "V" Norch : 2½ inch / Inches on "V" Norch)
7. Formation of Soil/Well Water Condition : Boulders/Silt/Loose Soil/Clear Clear
8. At the Depth of :
9. Recommended to use Jet Pump / Air Compressor / Submersible /Hand Pump

The Borewell was drilled in accordance with the company terms and conditions and handed over to customer in good/ satisfied / Party agreed conditions.

Once the well handed over to party, company is no way responsible for further developments if anything in the well or what so ever.

Party's Signature

I, owner of the Well / (Authorised signatory) fully understood the terms and conditions and the well completion report, I also fully understood the quality and quantity of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for further occurrence / Changes in the bore with full satisfaction. I hereby endorse my signature.

For VINAYAKA ENTERPRISES

Party's Signature

~~Manager~~ / Proprietor

TAX INVOICE

(See Rule 46 of the Central Goods & Services Tax Rules, 2017)

Landis+Gyr Limited

ಲ್ಯಾಂಡಿಸ್+ಗೇರ್ ಲಿಮಿಟೆಡ್

Landis+Gyr

R. O. Address :
No. 503, 1st Floor, 3rd Main,
50 Feet Road, Hanumanthnagar,
BENGALURU - 560050.
Ph.: 080-26678515

Branch Office Address :
O/o AEE (C, O&M), C-7 Sub-Divison,
BESCOM, Yelahanka,
BENGALURU - 560064.

Customer Name AEE ASMP

Address WNO-6. 1st Cr.
Jagadamba Temple.
RKH. Nga S.L

GSTIN :

BILL No. **YNK/18/** 04584

DATE : 13/07/18 TIME : 3.55 AM/PM

GSTIN : 29AAACV9922B1ZA

Sl. No.	Description of Goods / Services	Quantity (Nos.)	Rate per Pc Rs.	Value Amount Rs.	P.
	HSN Code : 90283010 Single / Three Phase Static Energy Meter Model : E150 / E250, 5-30 Amps Serial Nos.				
	3Phase C775611	01	1466.62	1466.	62

BESCOM DVN : E9

W.O. No. F-65924 Date 13/07/18

Total Invoice Value (In Words) : One Thousand Seven Thirty Sixty Two Rupees Only

CGST @ 9%	132.	₹
SGST @ 9%	132.	₹
GRAND TOTAL	1730.	62

E.&O.E.

1st Copy Original : White
2nd Copy Duplicate : Pink
3rd Copy Triplicate : Yellow
4th Copy Extra : Blue

For **Landis+Gyr Limited**

Signature

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರ
ಬ್ಯಾಟರಾಯನಪುರ ಉಪ ವಿಭಾಗ
ಬೆಂಗಳೂರು-26

TAX INVOICE

(See Rule 46 of the Central Goods & Services Tax Rules, 2017)

Landis+Gyr Limited

ಲ್ಯಾಂಡಿಸ್+ಗೇರ್ ಲಿಮಿಟೆಡ್

Landis+Gyr

R. O. Address :
No. 503, 1st Floor, 3rd Main,
50 Feet Road, Hanumanthnagar,
BENGALURU - 560050.
Ph.: 080-26678515

Branch Office Address :
O/o AEE (C, O&M), C-7 Sub-Divison,
BESCOM, Yelahanka,
BENGALURU - 560064.

Customer Name AEE BESCOM

Address W No-6.
Police Qtrs.
R K H Nagar

GSTIN :

BILL No. **YNK/18/** 04586

DATE : 13/07/19 TIME : 4.05 AM/PM

GSTIN : 29AAACV9922B1ZA

Sl. No.	Description of Goods / Services	Quantity (Nos.)	Rate per Pc Rs.	Value Amount Rs.	P.
	HSN Code : 90283010 Single / Three Phase Static Energy Meter Model : E150 / E250, 5-30 Amps Serial Nos.				
	3Phase C775613	01	1466.62	1466.	62
	BESCOM DVN : E9 W.O. No. F-65923 Date 13/07/19 Total Invoice Value (In Words) : One Thousand Seven Thirty Sixty Six Only		CGST @ 9%	132.	00
			SGST @ 9%	132.	00
			GRAND TOTAL	1730.	62

E.&O.E.

1st Copy Original : White
2nd Copy Duplicate : Pink
3rd Copy Triplicate : Yellow
4th Copy Extra : Blue

For **Landis+Gyr Limited**

Signature

AE Ward No 6

ಸಹಾಯಕ ಕಾರ್ಯನಿರ್ವಾಹಕ ಅಭಿಯಂತರರು
ಬೆಸ್ಕಾಂ ಯಲಹಂಕ ಉಪ ವಿಭಾಗ
ಬಿ.ಬಿ.ಎಂ.ಪಿ, ಬೆಂಗಳೂರು-24

TAX INVOICE

(See Rule 46 of the Central Goods & Services Tax Rules, 2017)

Landis+Gyr Limited

ಲ್ಯಾಂಡಿಸ್+ಗೇರ್ ಲಿಮಿಟೆಡ್

Landis+Gyr

R. O. Address :
No. 503, 1st Floor, 3rd Main,
50 Feet Road, Hanumanthnagar,
BENGALURU - 560050.
Ph.: 080-26678515

Branch Office Address :
O/o AEE (C, O&M), C-7 Sub-Divison,
BESCOM, Yelahanka,
BENGALURU - 560064.

Customer Name AEE ABM

Address W No-6
Near water Tank
Thanisandra. B.

GSTIN :

BILL No. **YNK/18/** 04585

DATE : 13/07/19 TIME : 4.00 AM/PM

GSTIN : 29AAACV9922B1ZA

Sl. No.	Description of Goods / Services	Quantity (Nos.)	Rate per Pc Rs.	Value Amount Rs.	P.
	HSN Code : 90283010 Single / Three Phase Static Energy Meter Model : E150 / E250, 5-30 Amps Serial Nos.				
	3ϕ Unit C775612	01	1466.67	1466.	67

BESCOM DVN : G9

W.O. No. F-65922 Date 13/07/19

Total Invoice Value (In Words) : One Thousand Seven Hundred Thirty Rupees Sixty Seven Ps

CGST @ 9%	132.	P
SGST @ 9%	132.	P
GRAND TOTAL	1730.	67

E.&O.E.

1st Copy Original : White
2nd Copy Duplicate : Pink
3rd Copy Triplicate : Yellow
4th Copy Extra : Blue

For **Landis+Gyr Limited**

AEE W.No 6

Signature

TAX INVOICE

(See Rule 46 of the Central Goods & Services Tax Rules, 2017)

Landis+Gyr Limited

ಲ್ಯಾಂಡಿಸ್+ಗೇರ್ ಲಿಮಿಟೆಡ್

Landis+Gyr

R. O. Address :
No. 503, 1st Floor, 3rd Main,
50 Feet Road, Hanumanthnagar,
BENGALURU - 560050.
Ph.: 080-26678515

Branch Office Address :
O/o AEE (C, O&M), C-7 Sub-Divison,
BESCOM, Yelahanka,
BENGALURU - 560064.

Customer Name AEE BSM

Address W.No-6
2nd Cy. RK Layout
T-4

GSTIN :

BILL No. **YNK/18/** 04587

DATE : 13/07/18 TIME : 4.00 AM/PM

GSTIN : 29AAACV9922B1ZA

Sl. No.	Description of Goods / Services	Quantity (Nos.)	Rate per Pc Rs.	Value Amount Rs.	P.
	HSN Code : 90283010 Single / Three Phase Static Energy Meter Model : E150 / E250, 5-30 Amps Serial Nos.				
	3Ph C775614	01	1466.62	1466.62	

BESCOM DVN : G9

W.O. No. F-65921 Date 13/02/18

Total Invoice Value (In Words) : One Thousand Seven Hundred Thirty Rupees Sixty Two Paise

CGST @ 9%	132.	00
SGST @ 9%	132.	00
GRAND TOTAL	1730.	62

E.&O.E.

1st Copy Original : White
2nd Copy Duplicate : Pink
3rd Copy Triplicate : Yellow
4th Copy Extra : Blue

For **Landis+Gyr Limited**

Signature

AE Ward No 6

Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com

Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To,
AEE BBMP
WNo.6
Police Qtrs
RKH Nagar

Date : 04.03.2014

GEO-TECHNICAL SURVEY REPORT
(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging BANGALORE city/village Dated on 04.03.2014 in order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards East marked by clayeysoil, uneven topography hydrogeological features are found to be favourable / ~~not favourable~~ for ground water extraction. Geology of the area is marked by Granite rock.

SOURCES EXTRACTED :

(I) Betwen 180 - 200 ft/~~mtrs~~. (II) 270 - 290 ft/mtrs.

(III) 430 - 450 610 - 640 ft/~~mtrs~~.

From the study of the above field observation, Investigation results, a borewell VES drilling to app depth of 700 - 800 + ft/~~mtrs~~. Below the ground level, casing pipe required be to app depth of 80 - 100 ft/~~mtrs~~.
Approx, yield expected may be around 425 - 475 GPH.
Suggested to drill 4 ~~1/2~~" / 6 1/2" dia Borewell. 6 1/2"

****

AC ward No 6

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

Save Water

(NAGARAJ MOKASHI)

SAVE ENVIRONMENT **ADOPT RAINWATER HARVESTING**

****

Services : Ground Water location by geo-hydrological, geophysical and divining methods, Driling advisors and supervision. Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.

****

Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com

Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To, AEE BBMP
W No. 6
Near Water tank
Thanisandra - 3

Date : 04-03-2014

GEO-TECHNICAL SURVEY REPORT
(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging BANGALORE city/village .....Dated on 04.03.2014....in order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards East marked by clayeeSandy Soil, uneven topography hydrogeological features are found to be favourable / ~~not favourable~~ for ground water extraction. Geology of the area is marked by Granite rock.

SOURCES EXTRACTED :

(I) Betwen 210-230 ft/~~mtrs~~. (II) 340-360 ft/mtrs.

(III) 520-550 630-640 ft/~~mtrs~~. 710-730

From the study of the above field observation, Investigation results, a borewell VES drilling .....to app depth of 800-900+ ft/mtrs. Below the ground level, casing pipe required be to app depth of 80-90 ft/mtrs.
Approx, yield expected may be around 425-475 GPH.
Suggested to drill 4 1/2" / 6 1/2" dia Borewell. 6 1/2"

****

A/C ward No 6

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

Save Water

(NAGARAJ MOKASHI)

SAVE ENVIRONMENT **ADOPT RAINWATER HARVESTING**

Services : Ground Water location by geo-hydrological, geophysical and divining methods, Driling advisors and supervision. Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.

Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com

Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To, AEE BBMP
WWNO.6 1st Ln
Jagadamba Temple
R.K.H. Nagar

Date : 04.03.2018

GEO-TECHNICAL SURVEY REPORT
(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging Bangalore city/village Dated on 04.03.2014 in order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards East marked by sandy clayey Soil, uneven topography hydrogeological features are found to be favourable / ~~not favourable~~ for ground water extraction. Geology of the area is marked by Granite rock.

SOURCES EXTRACTED :

(I) Betwen 160-180 ft/~~mtrs~~. (II) 270-290 ft/~~mtrs~~.

(III) 430-450 610-640 ft/~~mtrs~~.

From the study of the above field observation, Investigation results, a borewell VES drilling to app depth of 700-800 ft/~~mtrs~~. Below the ground level, casing pipe required be to app depth of 80-100 ft/mtrs.

Approx, yield expected may be around 425-475 GPH.

Suggested to drill 4 $\frac{1}{2}$" / 6 $\frac{1}{2}$" dia Borewell.

****

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

(NAGARAJ MOKASHI)

Save Water

SAVE ENVIRONMENT **ADOPT RAINWATER HARVESTING**

Services : Ground Water location by geo-hydrological, geophysical and divining methods, Driling advisors and supervision. Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.

Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com

Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To, AEE BBMP
W.No.6
2nd Cr. RKH Nagar.

Date : 04-03-2014

GEO-TECHNICAL SURVEY REPORT
(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging Bangalore city/village .....Dated on 04-03-2014...in order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards North marked by clayee Soil, uneven topography hydrogeological features are found to be favourable / ~~not favourable~~ for ground water extraction. Geology of the area is marked by Granite rock.

SOURCES EXTRACTED :

(I) Betwen 180-200 ft/~~mtrs~~. (II) 320-350 ft/~~mtrs~~.

(III) 530-550 640-660 ft/~~mtrs~~.

From the study of the above field observation, Investigation results, a borewell VES drilling .....to app depth of 700-800+ ft/~~mtrs~~. Below the ground level, casing pipe required be to app depth of 90-100 ft/~~mtrs~~.

Approx, yield expected may be around 425-475 GPH.

Suggested to drill 4 $\frac{1}{2}$" / 6 $\frac{1}{2}$" dia Borewell. 6½"ϕ

****

Aswath No 6
Art & Sculpture

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

(NAGARAJ MOKASHI)

Save Water

SAVE ENVIRONMENT **ADOPT RAINWATER HARVESTING**

Services : Ground Water location by geo-hydrological, geophysical and divining methods, Driling advisors and supervision. Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.